

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID: SSSPTA1600RXA

PASSWORD :

TERMINAL (ENTER 1, 2, 3, OR ?):2

Enter NEWS followed by the item number or name to see news on that

specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

* *

FILE 'HOME' ENTERED AT 20:31:40 ON 07 JUN 2007

=> fil caplus
COST IN U.S. DOLLARS
FULL ESTIMATED COST

SINCE FILE ENTRY	TOTAL SESSION
0.21	0.21

FILE 'CAPLUS' ENTERED AT 20:31:57 ON 07 JUN 2007
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2007 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 7 Jun 2007 VOL 146 ISS 24
FILE LAST UPDATED: 6 Jun 2007 (20070606/ED)

Effective October 17, 2005, revised CAS Information Use Policies apply.
They are available for your review at:

<http://www.cas.org/infopolicy.html>

=> s us20060281715/pn
L1 1 US20060281715/PN
(US2006281715/PN)

=> d

LI ANSWER 1 OF 1 CAPLUS COPYRIGHT 2007 ACS on STN

AN 2004:902395 CAPLUS

DN 141:370521

TI Preparation of phosphates of secondary alcohols

IN West, Simon Michael; Kanner, David

PA Vital Health Sciences Pty. Ltd., Australia

SO PCT Int. Appl., 16 pp.

CODEN: PIXXD2

DT Patent

LA English

FAN.CNT 1

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI WO 2004092186	A1	20041028	WO 2004-AU490	20040414
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW RW: BW, GH, GM, KE, LS, MW, MZ, SD, SL, SZ, T2, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BE, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
AU 2003301765	A1	20041028	AU 2003-301765	20040414
CA 2521836	A1	20041028	CA 2004-2521836	20040414
EP 1615936	A1	20060118	EP 2004-727180	20040414
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, PL, SK,				
HR				
BR 2004009551	A	20060418	BR 2004-9551	20040414
CN 1774443	A	20060517	CN 2004-80009937	20040414
JP 2006523621	T	20061019	JP 2006-504007	20040414
US 2006281715	A1	20061214	US 2006-551202	20060629

<-- PRAI AU 2003-901812 A 20030415

WO 2004-AU490 W 20040414

RE.CNT 8 THERE ARE 8 CITED REFERENCES AVAILABLE FOR THIS RECORD

ALL CITATIONS AVAILABLE IN THE RE FORMAT

```
=> select 11  
ENTER ANSWER NUMBER OR RANGE (1-):1  
ENTER DISPLAY CODE (TI) OR ?:rn  
E1 THROUGH E18 ASSIGNED
```

FILE 'REGISTRY' ENTERED AT 20:32:27 ON 07 JUN 2007
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2007 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 6 JUN 2007 HIGHEST RN 936692-95-4
DICTIONARY FILE UPDATES: 6 JUN 2007 HIGHEST RN 936692-95-4

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH December 2, 2006

Please note that search-term pricing does apply when conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

<http://www.cas.org/support/stngen/stndoc/properties.html>

=> s e1-e18

- 1 109-52-4/BI
(109-52-4/RN)
- 1 1314-56-3/BI
(1314-56-3/RN)
- 1 134523-00-5/BI
(134523-00-5/RN)
- 1 17066-08-9/BI
(17066-08-9/RN)
- 1 56-40-6/BI
(56-40-6/RN)
- 1 56-87-1/BI
(56-87-1/RN)
- 1 6106-41-8/BI
(6106-41-8/RN)
- 1 671212-70-7/BI
(671212-70-7/RN)
- 1 671212-71-8/BI
(671212-71-8/RN)
- 1 671212-72-9/BI
(671212-72-9/RN)
- 1 671212-75-2/BI
(671212-75-2/RN)
- 1 71-00-1/BI
(71-00-1/RN)

1 74-79-3/BI
(74-79-3/RN)
1 779335-19-2/BI
(779335-19-2/RN)
1 779335-20-5/BI
(779335-20-5/RN)
1 81093-37-0/BI
(81093-37-0/RN)
1 9028-35-7/BI
(9028-35-7/RN)
1 93413-69-5/BI
(93413-69-5/RN)

L2 18 (109-52-4/BI OR 1314-56-3/BI OR 134523-00-5/BI OR 17066-08-9/BI
OR 56-40-6/BI OR 56-87-1/BI OR 6106-41-8/BI OR 671212-70-7/BI
OR 671212-71-8/BI OR 671212-72-9/BI OR 671212-75-2/BI OR 71-00-1/
BI OR 74-79-3/BI OR 779335-19-2/BI OR 779335-20-5/BI OR 81093-37-
0/BI OR 9028-35-7/BI OR 93413-69-5/BI)

=> d scan


L2 18 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN
IN Reductase, hydroxymethylglutaryl coenzyme A (reduced nicotinamide adenine
dinucleotide phosphate)
MF Unspecified
CI MAN

*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):17


L2 18 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN
IN Cyclohexanol, 1-[2-(dimethylamino)-1-(4-methoxyphenyl)ethyl]-, dihydrogen
phosphate (ester) (9CI)
MF C17 H28 N O5 P
CI



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L2 18 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN
IN L-Arginine
MF C6 H14 N4 O2
CI COM

Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L2 18 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN
IN Cyclohexanol, 1-[2-(dimethylamino)-1-(4-methoxyphenyl)ethyl]-
MF C17 H27 N O2
CI COM



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L2 18 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN
IN 4,6,10-Trioxa-5-phosphoacosaanic acid, 3-[(2R)-4-((1S,2S,6S,8S,8aR)-
1,2,6,7,8,8a-hexahydro-6-hydroxy-2-methyl-8-[(2S)-2-methyl-1-oxobutoxy]-1-
naphthalenyl)-2-hydroxybutyl]-5-hydroxy-11-oxo-8-[(1-oxooctadecyl)oxy]-
5-oxide, (3R)- (9CI)
MF C62 H111 O14 P

Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L2 18 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN
IN Pentanoic acid, sodium salt (1:1)
MF C5 H10 O2 . Na
CI COM



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 18 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN
IN 1-Naphthaleneheptanoic acid, 1,2,6,7,8,8a-hexahydro-5,6-dihydroxy-2-
methyl-8-[(2S)-2-methyl-1-oxobutoxy]-β-(phosphonoxy)-,
(R,R,8R,1S,2S,6S,8S,8aR)- (9CI)
MF C23 H37 O10 P


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 18 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN
IN L-Histidine
MF C6 H9 N3 O2
CI COM


Absolute stereochemistry. Rotation (-).



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 18 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN
 IN 1-Naphthaleneheptanoic acid, 1,2,6,7,8,8a-hexahydro- β ,8-,6-trihydroxy-2-methyl-8-[(2S)-2-methyl-1-oxobutoxy]-,
 (BR,8R,19,2S,6S,8aR)-
 MF C23 H36 O7
 CI COM


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 18 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN
 IN 1H-Pyrrole-1-heptanoic acid, β -{[(2,3-bis[(1-oxooctadecyl)oxy]propoxy)hydroxymethylphosphoryl]oxy}-2-(4-fluorophenyl)-8-hydroxy-5-(1-methylethyl)-3-phenyl-4-(phenylamino)carbonyl-,
 (BR,8R)- (9CI)
 MF C72 H110 F N2 O12 P

Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L2 18 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN
 IN Phosphorus oxide (P2O5)
 MF OS P2
 CI COM, MAN

*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 18 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN
 IN 1H-Pyrrole-1-heptanoic acid, 2-(4-fluorophenyl)-8-hydroxy-5-(1-methylethyl)-3-phenyl-4-(phenylamino)carbonyl- β -(phosphonoxy)-,
 (BR,8R)- (9CI)
 MF C33 H36 F N2 O8 P


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L2 18 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN
IN L-Lysine
MF C6 H14 N2 O2
CI COM

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 18 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN
IN β -Alanine, N-(2-carboxyethyl)-N-dodecyl-
MF C18 H35 N O4
CI COM




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 18 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN
IN Octadecanoic acid, 1-[{[(1-{2-(dimethylamino)-1-(4-methoxyphenyl)ethyl}cyclohexyl]oxy}hydroxyphosphinyl]oxy}-1,2-ethanediyl ester (9Cl)
MF C56 H102 N O9 P



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L2 18 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN
IN Pentanoic acid
MF C5 H10 O2
CI COM



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L2 18 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN
IN 1H-Pyrrole-1-heptanoic acid, 2-(4-fluorophenyl)- β , δ -dihydroxy-5-
(1-methylethyl)-3-phenyl-4-[(phenylamino)carbonyl]-, (BR,8R)-
MF C33 H35 F N2 O5
CI COM

Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 18 ANSWERS REGISTRY COPYRIGHT 2007 ACS on STN
IN Glycine
MF C2 H5 N O2
CI COM



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

ALL ANSWERS HAVE BEEN SCANNED

=> fil reg
COST IN U.S. DOLLARS
FULL ESTIMATED COST

SINCE FILE ENTRY	TOTAL SESSION
1.80	5.75

FILE 'REGISTRY' ENTERED AT 20:34:57 ON 07 JUN 2007
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2007 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file
provided by InfoChem.

STRUCTURE FILE UPDATES: 6 JUN 2007 HIGHEST RN 936692-95-4
DICTIONARY FILE UPDATES: 6 JUN 2007 HIGHEST RN 936692-95-4

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH December 2, 2006


Please note that search-term pricing does apply when
conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and
predicted properties as well as tags indicating availability of
experimental property data in the original document. For information
on property searching in REGISTRY, refer to:

<http://www.cas.org/support/stngen/stndoc/properties.html>

=>

Uploading C:\Program Files\Stnexp\Queries\QUERIES\10551202.str



chain nodes :

7 8 20 21 22 23 24 25 32 33

ring nodes :

1 2 3 4 5 6 9 10 11 12 13 14 15 16 17 18 19 26 27 28 29 30 31

chain bonds :

1-21 2-9 3-6 4-7 5-8 7-25 7-32 8-23 8-24 17-20 21-22 25-26

ring bonds :

1-2 1-5 2-3 3-4 4-5 6-10 6-14 9-15 9-19 10-11 11-12 12-13 13-14 15-16
16-17 17-18 18-19 26-27 26-31 27-28 28-29 29-30 30-31

exact/norm bonds :

1-2 1-5 1-21 2-3 3-4 4-5 4-7 7-25 7-32 25-26

```
exact bonds :  
2-9 3-6 5-8 8-23 8-24 17-20 21-22  
normalized bonds :  
6-10 6-14 9-15 9-19 10-11 11-12 12-13 13-14 15-16 16-17 17-18 18-19  
26-27 26-31 27-28 28-29 29-30 30-31
```

```
Match level :  
1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:CLASS 8:CLASS 9:Atom 10:Atom  
11:Atom 12:Atom 13:Atom 14:Atom 15:Atom 16:Atom 17:Atom 18:Atom 19:Atom  
20:CLASS 21:CLASS 22:CLASS 23:CLASS 24:CLASS 25:CLASS 26:Atom 27:Atom  
28:Atom 29:Atom 30:Atom 31:Atom 32:CLASS 33:CLASS
```

```
L3 STRUCTURE UPLOADED
```

```
=> d  
L3 HAS NO ANSWERS  
L3 STR
```

```
* STRUCTURE DIAGRAM TOO LARGE FOR DISPLAY - AVAILABLE VIA OFFLINE PRINT *  
Structure attributes must be viewed using STN Express query preparation.
```

```
=> s 13  
SAMPLE SEARCH INITIATED 20:36:08 FILE 'REGISTRY'  
SAMPLE SCREEN SEARCH COMPLETED - 0 TO ITERATE
```

```
100.0% PROCESSED 0 ITERATIONS 0 ANSWERS  
SEARCH TIME: 00.00.01  
  
FULL FILE PROJECTIONS: ONLINE **COMPLETE**  
BATCH **COMPLETE**  
PROJECTED ITERATIONS: 0 TO 0  
PROJECTED ANSWERS: 0 TO 0
```

```
L4 0 SEA SSS SAM L3
```

```
=> s 13 full  
FULL SEARCH INITIATED 20:36:11 FILE 'REGISTRY'  
FULL SCREEN SEARCH COMPLETED - 7 TO ITERATE
```

```
100.0% PROCESSED 7 ITERATIONS 7 ANSWERS  
SEARCH TIME: 00.00.01
```

```
L5 7 SEA SSS FUL L3
```

```
=> s 15 and caplus/lc  
54381451 CAPLUS/LC  
L6 5 L5 AND CAPLUS/LC
```


```
=> s 15 not 16  
L7 2 L5 NOT L6
```

```
=> d 17 1-2
```


L7 ANSWER 1 OF 2 REGISTRY COPYRIGHT 2007 ACS on STN
RN 832075-20-4 REGISTRY
ED Entered STN: 16 Feb 2005
CN L-Ascorbic acid, 2-[(3 β ,5 α)-stigmastan-3-yl hydrogen phosphate]
3-[(β R, δ R)-2-(4-fluorophenyl)- β , δ -dihydroxy-5-(1-methylethyl)-3-phenyl-4-[(phenylamino)carbonyl]-1H-pyrrole-1-heptanoate] (9CI) (CA INDEX NAME)
FS STEREOSEARCH
MF C68 H92 F N2 O13 P
CI COM
SR CA

Absolute stereochemistry.

PAGE 1-A



PAGE 1-B




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L7 ANSWER 2 OF 2 REGISTRY COPYRIGHT 2007 ACS on STN
RN 832075-19-1 REGISTRY
ED Entered STN: 16 Feb 2005
CN L-Ascorbic acid, 2-[(3 β ,5 α)-ergostan-3-yl hydrogen phosphate] 3-[(β R, δ R)-2-(4-fluorophenyl)- β , δ -dihydroxy-5-(1-methylethyl)-3-phenyl-4-[(phenylamino)carbonyl]-1H-pyrrole-1-heptanoate] (9CI) (CA INDEX NAME)
FS STEREOSEARCH
MF C67 H90 F N2 O13 P
CI COM
SR CA

Absolute stereochemistry.

PAGE 1-A



L7 ANSWER 2 OF 2 REGISTRY COPYRIGHT 2007 ACS on STN (Continued)
PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT



PAGE 1-B

=> fil caplus		
COST IN U.S. DOLLARS	SINCE FILE	TOTAL
FULL ESTIMATED COST	ENTRY	SESSION
	181.85	187.60

FILE 'CAPLUS' ENTERED AT 20:36:35 ON 07 JUN 2007
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2007 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 7 Jun 2007 VOL 146 ISS 24
FILE LAST UPDATED: 6 Jun 2007 (20070606/ED)

Effective October 17, 2005, revised CAS Information Use Policies apply.
They are available for your review at:


<http://www.cas.org/infopolicy.html>

=> d his

L8 ANSWER 1 OF 3 CAPLUS COPYRIGHT 2007 ACS on STN
 ACCESSION NUMBER: 2005:58227 CAPLUS
 DOCUMENT NUMBER: 142:156266
 TITLE: Novel compounds and compositions comprising sterols and/or stanols and cholesterol biosynthesis inhibitors
 cardiovascular and their use in treating or preventing disease and other disorders
 INVENTOR(S): Kutney, James P.; Pritchard, Haydn P.; Lukic, Tatjana
 PATENT ASSIGNEE(S): Forbes Medi-Tech Inc., Can.
 SOURCE: PCT Int. Appl., 71 PP.
 CODEN: PIXXD2
 DOCUMENT TYPE: Patent
 LANGUAGE: English
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2005005453	A2	20050120	WO 2004-CA999	20040709
WO 2005005453	A3	20050609		
W: AE, AG, AL, AM, AT, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW, RW: BW, GH, GM, KE, LS, MM, MZ, NA, SD, SI, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
AU 2004255285	A1	20050120	AU 2004-255285	20040709
CA 2531836	A1	20050120	CA 2004-2531836	20040709
EP 1644399	A2	20060412	EP 2004-737936	20040709
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CI, AL, TR, BG, CZ, EE, HU, PL, SK, HR: BR 2004012439 A 20060905 BR 2004-12439 20040709 CN 1832957 A 20060913 CN 2004-80022866 20040709 NO 2006000632 A 20060406 NO 2006-632 20060209				
PRIORITY APPLN. INFO.:			US 2003-615456	A 20030709
			WO 2004-CA999	W 20040709

OTHER SOURCE(S): CASREACT 142:156266; MARPAT 142:156266
 GI



AB The present invention provides, in one aspect, novel compds. comprising sterols and/or stanols and a cholesterol biosynthesis inhibitor, having the following formulas R2(CH2)NCO2R, R2R, R2COCO2R, I-III [R = sterol, stanol; R2 = cholesterol biosynthesis inhibitor with at least one free and

L8 ANSWER 1 OF 3 CAPLUS COPYRIGHT 2007 ACS on STN (Continued)
 reactive carboxyl group; R3 = cholesterol biosynthesis inhibitor with at least one free and reactive hydroxyl group; R4 = derived from ascorbic acid; X = H, biol. acceptable metal, alk. earth metal; n = 1-5], including salts, solvates and prodrugs of thereof in treating or preventing cardiovascular disease and other disorders. In another aspect, the present invention provides compds. comprising at least one sterol and/or stanol ester and at least one cholesterol biosynthesis inhibitor. Also provided are methods of treating or preventing a variety of diseases, conditions and disorders by administering the compds. or compns. provided herein.

IT 830325-30-9P B30325-31-0P
 RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(derivs. of sterols and/or stanols and cholesterol biosynthesis inhibitors for treatment or prevention cardiovascular disease and


other disorders)

RN 830325-30-9 CAPLUS

CN L-Ascorbic acid, 2-[(3 β ,5 α ,24R)-ergostan-3-yl hydrogen phosphate] 3-[(β R,8R)-2-(4-fluorophenyl)- β , δ -dihydroxy-5-(1-methylethyl)-3-phenyl-4-[(phenylamino)carbonyl]-1H-pyrrole-1-heptanoate], monosodium salt (9CI) (CA INDEX NAME)


Absolute stereochemistry.

PAGE 1-A



L8 ANSWER 1 OF 3 CAPLUS COPYRIGHT 2007 ACS on STN (Continued)

PAGE 1-B





RN 830325-31-0 CAPLUS
 CN L-Ascorbic acid, 3-[(β R,8R)-2-(4-fluorophenyl)- β , δ -dihydroxy-5-(1-methylethyl)-3-phenyl-4-[(phenylamino)carbonyl]-1H-pyrrole-1-heptanoate] 2-[hydrogen (3 β ,5 α)-stigmastan-3-yl phosphate], monosodium salt (9CI) (CA INDEX NAME)

Absolute stereochemistry.

L8 ANSWER 1 OF 3 CAPLUS COPYRIGHT 2007 ACS on STN (Continued)

PAGE 1-B




L8 ANSWER 2 OF 3 CAPLUS COPYRIGHT 2007 ACS on STN
 ACCESSION NUMBER: 2004:902395 CAPLUS
 DOCUMENT NUMBER: 141:370521
 TITLE: Preparation of phosphates of secondary alcohols
 INVENTOR(S): West, Simon Michael; Kannar, David
 PATENT ASSIGNEE(S): Vital Health Sciences Pty. Ltd., Australia
 SOURCE: PCT Int. Appl., 16 pp.
 CODEN: PIXXD2
 DOCUMENT TYPE: Patent
 LANGUAGE: English
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2004092186	A1	20041028	WO 2004-AU490	20040414
W: AE, AG, AL, AM, AT, AU, A2, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
RW: BW, GH, GM, KE, LS, MW, MZ, SD, SL, SZ, T2, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG				
AU 2003301765	A1	20041028	AU 2003-301765	20040414
CA 2521836	A1	20041028	CA 2004-2521836	20040414
EP 1615936	A1	20060118	EP 2004-727180	20040414
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, PL, SK, HR				
PRIORITY APPLN. INFO.:			AU 2003-901812	A 20030415
			WO 2004-AU490	W 20040414

AB According to the invention, there is provided a phosphate derivative of a compound having a secondary hydroxy group. The compound having a secondary hydroxyl group may, for example, be chosen from pravastatin, atorvastatin, venlafaxine, their derivs. and mixts. thereof. Phosphate derivative of atorvastatin was prepared by the reaction of free acid of atorvastatin with P2O10 in presence of sodium valerate.
 IT 671212-70-7P 779335-19-2P
 RL: PAC (pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)
 (preparation of phosphates of secondary alcs.)
 RN 671212-70-7 CAPLUS
 CN 1H-Pyrrole-1-heptanoic acid, 2-(4-fluorophenyl)-8-hydroxy-5-(1-methylethyl)-3-phenyl-4-[(phenylamino)carbonyl]-β-(phosphonoxy)-(BR,8R)-(9CI) (CA INDEX NAME)


Absolute stereochemistry.

L8 ANSWER 2 OF 3 CAPLUS COPYRIGHT 2007 ACS on STN (Continued)



RN 779335-19-2 CAPLUS
 CN 1H-Pyrrole-1-heptanoic acid, β-[(2,3-bis((1-oxooctadecyl)oxy)propoxy)hydroxymethyl]oxy)-2-(4-fluorophenyl)-8-hydroxy-5-(1-methylethyl)-3-phenyl-4-[(phenylamino)carbonyl]-(BR,8R)-(9CI) (CA INDEX NAME)

Absolute stereochemistry.



REFERENCE COUNT: 8 THERE ARE 8 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT


L8 ANSWER 3 OF 3 CAPLUS COPYRIGHT 2007 ACS on STN
 ACCESSION NUMBER: 2004:219820 CAPLUS
 DOCUMENT NUMBER: 140:259095
 TITLE: Complexes of phosphate derivatives for pharmaceuticals
 INVENTOR(S): or cosmetics
 West, Simon Michael; Verdicchio, Robert J.; Kannar, David
 PATENT ASSIGNEE(S): Australia
 SOURCE: U.S. Pat. Appl. Publ., 17 pp., Cont.-in-part of U.S. Ser. No. 416,774.
 CODEN: USXXCO
 DOCUMENT TYPE: Patent
 LANGUAGE: English
 FAMILY ACC. NUM. COUNT: 3
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
US 2004052754	A1	20040318	US 2003-462480	20030616
WO 2002040034	A1	20020523	WO 2001-AU1476	20011114
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, T2, UA, UG, US, UZ, VN, YU, ZA, ZW				
RW: GH, GM, KE, LS, MW, MZ, SD, SL, S2, TZ, UG, ZM, ZW, AM, AZ, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GO, GW, ML, MR, NE, SN, TD, TG				
US 2004097472	A1	20040520	US 2003-416774	20031223
PRIORITY APPLN. INFO.:			US 2000-247997P	P 20001114
			WO 2001-AU1476	W 20011114
			US 2003-416774	A2 20031223

OTHER SOURCE(S): MARPAT 140:259095
 AB A composition comprises the reaction product of 1 or more phosphate derivs. of 1 or more hydroxylated drugs and (b) 1 or more complexing agents selected from the group consisting of amphoteric surfactants, cationic surfactants, amino acids and proteins rich in these amino acids. Disodium tocopherol phosphate was dissolved in water and arginine-HCl was added and the mixture was intimately mixed for 1 h. The mixture increased in viscosity until a gel was formed indicating that a reaction had occurred. The complex product was then analyzed by electrospray mass spectrometry. The spectrum showed peaks at 510 (tocopherol phosphate) and 683 (tocopherol phosphate arginine complex) mass units. The 683 peak indicates the bond between arginine and tocopherol phosphate survived the intense accelerating field and thus is very strong.
 IT 671212-70-7DP, complexes 671212-73-ODP, complexes RL: COS (Cosmetic use); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)
 (complexes of phosphate derivs. for pharmaceuticals or cosmetics)
 RN 671212-70-7 CAPLUS
 CN 1H-Pyrrole-1-heptanoic acid, 2-(4-fluorophenyl)-8-hydroxy-5-(1-methylethyl)-3-phenyl-4-[(phenylamino)carbonyl]-β-(phosphonoxy)-,


L8 ANSWER 3 OF 3 CAPLUS COPYRIGHT 2007 ACS on STN (Continued)
 (BR,8R)-(9CI) (CA INDEX NAME)

Absolute stereochemistry.




RN 671212-73-0 CAPLUS
 CN 1H-Pyrrole-1-heptanoic acid, 2-(4-fluorophenyl)-β,8-dihydroxy-5-(1-methylethyl)-3-phenyl-4-[(phenylamino)carbonyl]-, monoanhydride with 1-[(phosphonoxy)methyl]-1,2-ethanediyl diocetadecanoate, (BR,8R)-(9CI) (CA INDEX NAME)

Absolute stereochemistry.




PAGE 1-A





IT 671212-70-7P 671212-73-0P
 RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
 (complexes of phosphate derivs. for pharmaceuticals or cosmetics)
 RN 671212-70-7 CAPLUS
 CN 1H-Pyrrole-1-heptanoic acid, 2-(4-fluorophenyl)- β , δ -dihydroxy-5-(1-methylethyl)-3-phenyl-4-[(phenylamino)carbonyl]- β -(phosphonoxy)-, (D_R,D_R)-(9CI) (CA INDEX NAME)

Absolute stereochemistry.



PAGE 1-B



RN 671212-73-0 CAPLUS
 CN 1H-Pyrrole-1-heptanoic acid, 2-(4-fluorophenyl)- β , δ -dihydroxy-5-(1-methylethyl)-3-phenyl-4-[(phenylamino)carbonyl]-, monoanhydride with 1-(phosphonoxy)methyl-1,2-ethanediyl dioctadecanoate, (D_R,D_R)-(9CI) (CA INDEX NAME)

Absolute stereochemistry.

=> log Y

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	20.04	207.64
DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	SINCE FILE ENTRY	TOTAL SESSION
CA SUBSCRIBER PRICE	-2.34	-2.34

STN INTERNATIONAL LOGOFF AT 20:41:42 ON 07 JUN 2007